

Season

Rettificato | Rectified

30x60 - 60x60 - 60x120

40x80 - 80x80

Season fog Ret | 80x80



Season

Rettificato | Rectified

60x120

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE031R ice Ret 60x120 | 24"x48"






W.GE032R fog Ret Ret 60x120 | 24"x48"



Made in Italy

HD
digital inkjet




Season

Rettificato | Rectified

60x120

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE033R sand Ret 60x120 | 24"x48"






W.GE034R smoke Ret Ret 60x120 | 24"x48"



Made in Italy

HD
digital inkjet



Pezzi speciali | Special trims



battiscopa 7,5x120 | 3"x48"

TUTTI I PEZZI SPECIALI (DECORI, GRADINI, BATTISCOPA, ECC.) SONO VENDUTI SOLO A SCATOLE COMPLETE. DISPONIBILE SU RICHIESTA.
All the trims, special pieces (decoration pieces, steps, skirting tiles, etc.) are sold at full boxes. Only on demand.

Imballi | Packaging

Formato Size cm	Spessore Thickness mm	Pz / collo Pcs / box	m ² / collo sqmt / box	Sc / plt Bxs / plt	m ² / plt Sqmt / plt	Kg / m ² (netto) Kgs / Sqmt (net)	Kg / collo (netto) Kg / box (net)	Kg / plt
60x120	10	2	1,44	39	56,16	20,85	30,02	1171

Season

Rettificato | Rectified


40x80 - 80x80

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE016R ice Ret 40x80 | 15"x30"

E6



W.GE011R ice Ret 80x80 | 30"x30"

E6

Made in Italy

HD
digital inkjet



R9



10 mm



<0.5% Bla



Rectified

Season

Rettificato | Rectified

40x80 - 80x80

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE017R fog Ret 40x80 | 15"x30"

E6



W.GE012R fog Ret 80x80 | 30"x30"

E6

Made in Italy

HD
digital inkjet



R9



10 mm



<0.5% Bla



Rectified

Season

Rettificato | Rectified


40x80 - 80x80

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE018R sand Ret 40x80 | 15"x30"

E6






W.GE013R sand Ret 80x80 | 30"x30"

E6

Made in Italy

HD
digital inkjet



Season

Rettificato | Rectified


40x80 - 80x80

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE019R smoke Ret 40x80 | 15"x30"

E6






W.GE014R smoke Ret 80x80 | 30"x30"


E6

Made in Italy

HD
digital inkjet



Pezzi speciali | Special trims



battiscopa 7,5x80 | 3"x30"

TUTTI I PEZZI SPECIALI (DECORI, GRADINI, BATTISCOPA, ECC.) SONO VENDUTI SOLO A SCATOLE COMPLETE. DISPONIBILE SU RICHIESTA.
All the trims, special pieces (decoration pieces, steps, skirting tiles, etc.) are sold at full boxes. Only on demand.

Imballi | Packaging

Formato Size cm	Spessore Thickness mm	Pz / collo Pcs / box	m ² / collo sqmt / box	Sc / plt Bxs / plt	m ² / plt Sqmt / plt	Kg / m ² (netto) Kgs / Sqmt (net)	Kg / collo (netto) Kg / box (net)	Kg / plt
80x80	10	2	1,28	35	44,80	19,93	25,51	940
40x80	10	3	0,96	27	25,92	19,90	19,10	543

Season

Rettificato | Rectified

30x60 - 60x60


Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE006R ice Ret 30x60 | 12"x24"



W.GE007R fog Ret 30x60 | 12"x24"



W.GE001R ice Ret 60x60 | 24"x24"



W.GE002R fog Ret 60x60 | 24"x24"



Made in Italy

HD
digital inkjet



R9



10 mm



<0,5% Bla



Rectified

Season

Rettificato | Rectified

30x60 - 60x60

Gres porcellanato smaltato.
Glazed porcelain gres.



W.GE008R sand Ret 30x60 | 12"x24"



W.GE009R smoke Ret 30x60 | 12"x24"



W.GE003R sand Ret 60x60 | 24"x24"



W.GE004R smoke Ret 60x60 | 24"x24"



Made in Italy

HD
digital inkjet



R9



10 mm




<0,5% Bla



Rectified

Pezzi speciali | Special trims



battiscopa 7x60 | 2"x24"

TUTTI I PEZZI SPECIALI (DECORI, GRADINI, BATTISCOPA, ECC.) SONO VENDUTI SOLO A SCATOLE COMPLETE. DISPONIBILE SU RICHIESTA.
All the trims, special pieces (decoration pieces, steps, skirting tiles, etc.) are sold at full boxes. Only on demand.

Imballi | Packaging

Formato Size cm	Spessore Thickness mm	Pz / collo Pcs / box	m ² / collo sqmt / box	Sc / plt Bxs / plt	m ² / plt Sqmt / plt	Kg / m ² (netto) Kgs / Sqmt (net)	Kg / collo (netto) Kg / box (net)	Kg / plt
30x60	10	6	1,08	48	51,84	19,54	21,10	1067
60x60	10	3	1,08	40	43,20	19,75	21,33	970

Season

25x60

Season fog Ret | 60x60 - Season stripes fog | 25x60 Season cementina | 25x60



Season

25x60

Season stripes fog | 25x60



Season

25x60

Rivestimento
Wall tiles



R.GE041 coord ice 25x60 | 10"x24"

C3



R.GE046 stripes ice 25x60 | 10"x24"

C7




R.GE042 coord fog 25x60 | 10"x24"

C3



R.GE047 stripes fog 25x60 | 10"x24"

C7



R.GE040 coord neutral 25x60 | 10"x24"

C3




R.GE045 cementina 25x60 | 10"x24"

C5

Made in Italy

HD
digital inkjet

















8 mm

Imballi | Packaging

Formato Size cm	Spessore Thickness mm	Pz / collo Pcs / box	m ² / collo sqmt / box	Sc / plt Bxs / plt	m ² / plt Sqmt / plt	Kg / m ² (netto) Kgs / Sqmt (net)	Kg / collo (netto) Kg / box (net)	Kg / plt
25x60	8	9	1,35	48	64,80	14,21	19,18	980

CARATTERISTICHE TECNICHE

Technical features

 PROXIMA <small>TENDENZE CERAMICHE</small>		UNI EN 14411 G Gruppo Bla		
		Pavimenti e rivestimenti in gres porcellanato Porcelain wall and floor tiles Sol et carreaux de sol et de mur en grès cérame vitrifié Wand- und Bodenfliesen aus Feinsteinzeug		
		Norma Norm	Valori prescritti International standard	Valori medi Average value
	Lunghezza e larghezza Length and width	UNI EN ISO 10545-2	+/- 0,6 %	Conforme In accordance
	Spessore Thickness	UNI EN ISO 10545-2	+/- 5%	Conforme In accordance
	Rettilinearità degli spigoli Straightness	UNI EN ISO 10545-2	+/- 0,5%	Conforme In accordance
	Ortogonalità Rectangularity	UNI EN ISO 10545-2	+/- 0,6 %	Conforme In accordance
	Planarità Warpage	UNI EN ISO 10545-2	+/- 0,5%	Conforme In accordance
	Assorbimento d'acqua Water absorption	UNI EN ISO 10545-3	≤ 0,5 %	Conforme In accordance
	Resistenza alla flessione Breaking strength	UNI EN ISO 10545-4	> 35 N/mm ²	Conforme In accordance
	Forza di rottura Breaking force	UNI EN ISO 10545-4	spessore ≥ 7,5 mm ≥ 1.300 N	Conforme In accordance
	Resistenza agli sbalzi termici Thermal Shock resistance	UNI EN ISO 10545-9	Nessun Danno No damage	Conforme In accordance
	Resistenza al cavillo Crazing resistance	UNI EN ISO 10545-11	A richiesta Requested	Conforme In accordance
	Resistenza al gelo Frost resistance	UNI EN ISO 10545-12	A richiesta Requested	Conforme In accordance
	Resistenza all'attacco chimico chemical resistance	UNI EN ISO 10545-13	test method available	Conforme In accordance
	Resistenza alle macchie Stain resistance	UNI EN ISO 10545-14	CLASSE 3 min	Conforme In accordance

L'Azienda si riserva la facoltà di modificare in qualunque momento le informazioni e le caratteristiche tecniche illustrate nel presente catalogo, che non sono comunque da ritenersi legalmente vincolanti. Pesi, colori e misure possono subire variazioni tipiche del particolare processo di cottura del materiale ceramico. I colori e le caratteristiche estetiche dei prodotti sono quanto più possibile vicini a quelli reali, nei limiti consentiti dai processi di stampa. Tutti i formati si intendono nominali.

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic ring process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

All sizes are to be considered nominal.

AD
marketing Gtiles
smalladv.com

graphic project
smalladv.com

stampa
Formagrafica

06/2018